# THE ALERTER

OFFICIAL NEWSLETTER OF THE SEATTLE FIRE BUFF SOCIETY INC. PROUDLY SPONSORED BY THE SFD CHIEFS ASSOCIATION



VOLUME# 55 ISSUE# 2	FEBRUARY 2020		
	SOCIETY OFFICERS		
The next meeting will be held at	PRESIDENT BYRON HARDINGE: <u>HARDINGCO@CABLESPEED.COM</u>		
FS 25. The meeting will	V.PRESIDENT JOHN ODEGARD: JOCO93@MSN.COM		
start at 1930 hours on February	SECRETARY MARC LORRAIN: M LORRAIN@YAHOO.COM		
13, 2020.	TREASURER STEPHEN FICKENSCHER: SKfick1@AOL.COM		
	COMMUNICATIONS MIKE CLARK: mclk@centurylink.net		

### Rehab Response Log For January 2020

SDF RED	DF RED SHORELINE BLUE N.SHORE GREEN		SHORE GREEN	M.A. BROWN	
Date	Time Out	Dept	Address	Туре	Responders
01-03-20	07:37	SFD	1301 5 <sup>th</sup> AVE.	VAULT	Buff-Com,SPRT9
01-03-20	22:58	SFD	7330 11 <sup>th</sup> AVE. N.E.	FIB	Buff-Com,SPRT4,9
01-07-20	12:31	SFD	308 4 <sup>th</sup> AVE. S.	FIBHI	Buff-Com,SPRT8,9
01-13-20	15:14	SFD	10002 BEACON AVE. S.	FIB	Buff-Com,SPRT6
01-14-20	00:34	SFD	6301 RAINIER AVE. S.	FIB	Buff-Com,SPRT9
01-16-20	11:13	SFD	903 UNION ST.	FIB	SPRT8
01-19-20	21:08	SFD	9412 18 <sup>th</sup> AVE. S.W.	FIB	Buff-Com,SPRT6,7
01-21-20	14:03	SFD	6021 BEACH DR. S.W.	RESWA	SPRT7
01-22-20	01:41	SFD	4722 15 <sup>th</sup> AVE. N.E.	FIB	Buff-Com, SPRT4, 8, 9
01-29-20	08:43	SFD	44th AVE. S.W.&S.W. BRAN	IDON ST MVI	SPRT8

Minutes Of January 2020 Meeting

Meeting was held at station 14th on the 9th of JAN 2020

Meeting called to order at: 1930hrs
No minutes from last months meeting
President's Report: Nothing to report.
Vice-President's Report: Nothing to report
Secretary's Report: Nothing to report

Treasurer's Report: Statement was sent to the President and Secretary. All

bills paid and money accounted for per statement received

Buff's Report: Lee gave report on the small amount of fires that we have had

the last month. Nothing real big has happened.

Communication's Report: Nothing to report.

New Business: It was brought up that since the society has so much money in

the account, that the dues should be cancelled. It was voted on and passed. Dues will no longer be collected.

Old Business: It was talked about replacing the van buff rig, as it is getting old and parts are hard to come by to replace anything that might go wrong with it. The group decided that \$8000.00 will use to purchase a newer vehicle to be used as a rehab rig. It was voted on and passed.

Meeting adjourned 2000hrs.

#### From the lens of Bob Lukas




Health 1



FIB with Battalion 5 and Ladder 12 1200 block of Othello 02-02-2020 Bob Lukas Photo

## The Fire Boat Alki is being scrapped in Fisherman's Terminal



# A LOOK BACK 4 AVE SOUTH APARTMENT FIRE

I saw on January 7<sup>th</sup> that Seattle firefighters had a nasty fire at the apartments on 4 Ave South and South Main Street that involved a fire in the garbage chute. It reminded me of a fire I had there in the late 80's or early 90's when I was assigned to Engine 2.

If I remember right the bells went down just before lunch and we were assigned third due on a full response to 4 Ave South & South Main Street. As we pulled out on the ramp we decided to go against traffic on 4<sup>th</sup> then a quick right on Blanchard and on to 3<sup>rd</sup> Ave. When we turned on 4<sup>th</sup> we could see a big puff of black smoke above the buildings to the south. I thought to myself "Me thinks we got a job".

After getting the lights on third we made pretty good time weaving in and out between lanes of traffic while responding to the fire. As we got closer the smoke seemed to dissipate and I thought that they could not have the fire knocked down that quick. As we pulled up a half a block away, and parked, we could see little smoke but a fire blasting out the windows on what appeared to be on the 3<sup>rd</sup> floor and located at the center of the building. Being 3<sup>rd</sup> due we waited for instructions. While waiting the radio was full of chatter that E10 was having trouble charging the standpipe for some reason. We waited for some minutes without instructions when I decided to ask B1 if he wanted E2 to try stretching pre-connect to the fire. He said no but go to the fire floor, with your crew, and see if you can help in some way.

When we got to the floor below the fire there was at least one dry line stretched up to the 3<sup>rd</sup> floor fire door with a crew waiting for water. Another crew was getting ready to back them up-still no water.

While looking around we noticed a house line hose rack which is a rack of hose meant to be used by civilians in case of fire. Firemen were discouraged in using them because they, in most cases, were old and could not be trusted. I decided to give it a try. As we pulled the hose out you could see it was not long enough to reach the floor above. We decided we were going to find the rack of hose on the fire floor. We paced a few steps this way and a few that way from the fire door on the floor that way. This way we could find the rack in the smoke on the fire floor. We went up to the 3<sup>rd</sup> floor fire door and went past the crew waiting for water and into the smoke on the 3<sup>rd</sup> floor. Sure enough the smoke was too thick to see your hand in front of your face, the fire was venting out the

windows but the smoke was thick in the fire floor hallway. We paced a few steps this way and a few that way and sure enough there was the hose rack. We could not see it but we could feel it. We stretched the hose line down to the fire room and low and behold there was L1's crew, on their stomachs, waiting for an engine crew to put the fire out. The room was fully involved with fire from ceiling to floor with everything burned to nothing. I decided to hand the pipe over to L1 and I went back to turn on the water while my crew knocked out kinks and backed up L1. L1 knocked down the bulk the fire and the fire was mopped up by the standpipe line. I thought it turned out ok and L1 had the thrill of manning a hose line.

#### **EPILOGUE**

As it turned out a Metro bus driver had seen a man waving for help in the smoke and then falling backward and disappearing before firemen had arrived. This man was killed in the fire. May he continue to rest in peace.

Mike Heaton, E25 retired.



4722 15<sup>th</sup> Ave. N.E.